



LM:cas 4/27/06 23-65306-01 520474.doc E-1507 CON

cofe

PATENT
Attorney Reference Number 23-65306-01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Richard E. Weller et al.

Application No. 09/853,507

Filed: May 9, 2001

Confirmation No. 7165

For: STIMULUS SENSITIVE GEL WITH
RADIOISOTOPE AND METHODS OF
MAKING

Examiner: Dameron L. Jones

Art Unit: 1616

Attorney Reference No. 23-65306-01

CERTIFICATE OF MAILING

I hereby certify that this paper and the documents referred to as being attached or enclosed herewith are being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: ATTN: CERTIFICATE OF CORRECTION BRANCH, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 on the date shown below.

Attorney or Agent
for Applicant(s)

Date Mailed April 27, 2006

ATTN: CERTIFICATE OF CORRECTION BRANCH
COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

Certificate

JUN 05 2006

of Correction

TRANSMITTAL LETTER

Enclosed for filing in the application referenced above are the following:

- ☒ Request for Letter of Correction.
- ☒ The Director is hereby authorized to charge any additional fees that may be required, or credit over-payment, to Deposit Account No. 02-4550. A copy of this sheet is enclosed.
- ☒ Please return the enclosed postcard to confirm that the items listed above have been received.


Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By

Lisa M. Caldwell
Registration No. 41,653

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 226-7391
Facsimile: (503) 228-9446
cc: Docketing



cas 4/27/06 23-65306-01 520474.doc E-1507 CON

COPY

PATENT

Attorney Reference Number 23-65306-01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Richard E. Weller et al.

Application No. 09/853,507

Filed: May 9, 2001

Confirmation No. 7165

For: STIMULUS SENSITIVE GEL WITH
RADIOISOTOPE AND METHODS OF
MAKING

Examiner: Dameron L. Jones

Art Unit: 1616

Attorney Reference No. 23-65306-01

CERTIFICATE OF MAILING

I hereby certify that this paper and the documents referred to as being attached or enclosed herewith are being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: ATTN: CERTIFICATE OF CORRECTION BRANCH, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 on the date shown below.

Attorney or Agent
for Applicant(s)

Date Mailed April 27, 2006

ATTN: CERTIFICATE OF CORRECTION BRANCH
COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

TRANSMITTAL LETTER

Enclosed for filing in the application referenced above are the following:

- ☒ Request for Letter of Correction.
- ☒ The Director is hereby authorized to charge any additional fees that may be required, or credit over-payment, to Deposit Account No. 02-4550. A copy of this sheet is enclosed.
- ☒ Please return the enclosed postcard to confirm that the items listed above have been received.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By

Lisa M. Caldwell
Registration No. 41,653

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 226-7391
Facsimile: (503) 228-9446
cc: Docketing



LMC:cas 04/27/06 23-65306-01 498218.doc E-1507 CON

PATENT
Attorney Matter No. 23-65306-01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Richard E. Weller et al.

Date Mailed April 27, 2006

Patent No. 6,869,588

Issued: March 22, 2005

Application No. 09/853,507

Filed: May 9, 2001

Confirmation No. 7165

For: STIMULUS SENSITIVE GEL WITH
RADIOISOTOPE AND METHODS OF
MAKING

Examiner: Dameron L. Jones

Art Unit: 1616

Attorney Reference No. 23-65306-01

ATTN: CERTIFICATE OF CORRECTION BRANCH
COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

REQUEST FOR LETTER OF CORRECTION

The following printing errors were noted in comparing the printed patent with the papers in the attorneys' files:

In the Specification:

In Column 1, line 23, "[meth]-acrylamide" should read -- [meth-]
acrylamide --

In Column 8, line 24, "ioding" should read -- iodine --

In Column 13, line 67, "difference" should read -- differences --

In Column 16, line 56, "injection subsequent" should read
-- injection. Subsequent --


In Column 17, line 16, "and." should read -- and --

In Column 18, line 14, "tetra-butyl" should read -- tetra-t-butyl --

All of the above errors are not considered to be of major significance. Applicants request that this document be included in the file wrapper of the subject patent to make formal notice of the errors.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By 
Lisa M. Caldwell
Registration No. 41,653

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 226-7391
Facsimile: (503) 228-9446

cc: Docketing